yacht@abyacht.com
Whats App + 33 611 354 611 + 44 1414 160 507
Brokerage, New construction, Conversion, Refitting, management, Flag, Charter. Refit, Surveyor, Commercial vessel, Xbow commercial vessel.

Management and companies

Euro Flag Management, crew : Madeira Free zone Portugal, Malta, France, UK, Luxembourg, Italy.

Jorge Rodrigues : Madeira Portugal
+351 916 415 214 WhatsApp Email :
jorgerodrigues-316m@adv.oa.pt

Foutaine Pajot Alegria 67 2024 Asking Price 3.580.000 € vat not paid.



Model:	*Alegria 67, 5 staterooms*
Hull shape:	*Catamaran*
Builder:	*Foutaine Pajot*
Designer :	*Berret-Racoupeau yacht design*
Built year :	*2024*
LOA :	*20.46 M*
Beam :	*9.84 M*
Draft :	*1.70 M*
Class :	*UE Certificate class Unlimited ocean Cat A 16 pax*
Engines:	*Yanmar 170 HP X 2*
Rope cutter:	*Yes*

MAIN CHARACTERISTICS

Builder: Fountaine Pajot (France)
Model: Fountaine Pajot Alegria 67
Naval Architect: Berret-Racoupeau Yacht Design Designer: Berret-Racoupeau Yacht Design
Type: Sailing Catamaran / Multi-hull
Hull Construction: GRP
Decks: Synthetic Teak
Year: 2024 (New)
Length Overall with Bowsprit: 20.46 m (67’ 1”)
Hull Length: 19.49 m (63’ 11”)
Beam Overall: 9.84 m (32’ 3”)
Draft: 1.70 m (5’ 7”)
Displacement Unloaded: 35,000 kg (77,162 lb) Approx. UE Certification: Cat A 16 pax
Location: La Rochelle, France

CONSTRUCTION

Hull and deck are built using infusion process with high quality anti osmotic polyester resin on balsa core E-glass fiberglass skins
Infusion moulding on balsa, PVC and PET core for the structural bulkheads
Grey top coated bilges
White gelcoat deck with built in anti-skid surface
GRP keels bonded into keel boxes, anti-flooding system in case of going aground

SAIL AREA

Main Sail: 133 m2 (1,430 ft2)

Genoa Area: 97 m2 (1,040 ft2)

Gennaker: 100 m2 (1,076 ft2)

Rigging and sails

2 x Lazy-jacks
2 x Flag halyards
Mainsail halyard at the helm station
Reef lines at the helm station
Jammers on all halyards, reef lines and topping lift
Anodized aluminium mast and boom
Full standing rigging
1 x Mainsail halyard, twin-thread low-stretch cover
1 x Gennaker on electric furler

1 x Staysail on electric furler
1 x Genoa halyard
1 x Spinnaker halyard
1 x Boom toping lift
3 x Reef lines

SAILS

Fully-battened mainsail, 3 reef lines and ball bearing traveller Genoa on electrical roller furler with remote control at helm station

PROPULSION

Type / Fuel: Twin Diesel
Main Engines: 2 x 170 Hp YANMAR 4LV170
Cruise Speed: 9 knots (est.)
Maximum Speed: 11 knots (est.)
High-resistance stainless steel direct transmission shafts
V-shaped shaft bearing bracket
2 x 3-blade fixed propellers
Ventilation with fans
Complete control panels and dual engine controls at helming station Diesel Circuit
2 x 700 l Diesel tanks with direct filling by plug-hole on the deck Electrical gauge with indicator at chart table
Diesel shut-off valves
Diesel filtering
Diesel water filtering

TANKAGE

Fuel Capacity: 1,400 l (370 US Gallons)
Fresh Water Capacity: 1,050 l (278 US Gallons)

ACCOMMODATION

10 Guests in 5 en-suite cabins Guest Cabin Configuration:

Port hull with 3 en-suite double cabins

Starboard hull with en-suite double cabin aft and large en-suite Master cabin fore Crew

Accommodation:

Port & starboard peak crew cabins for 2/3 not fitted but recommended

(See detailed descriptions below)

PLUMBING

Freshwater 1050 l tank with 1 electric gauge (indicator at chart table) Electric pump and pressure accumulator
Dockside intake for direct connection to fresh water supply
2 x 75 l water heaters
1 x Electrical bilge pump in each engine room
1 x Independent electrical bilge pump in each hull
4 x Automatic starting for bilge pumps with audible and visual alarm at the chart table 2 x Hand-operated external drying out pumps
Grey water control with automatic pumps
1 x Central holding tank for black water

ELECTRICAL EQUIPMENT

Underway, running and anchorage lights

Power Circuits:

1 x Port engine battery 12V + 1 x starboard engine battery 12V
2 x Engine alternators 12V recharging these 2 engine batteries
Back-up manual connection between both sets of engine batteries
1 x Set of batteries for onboard energy supply 24V – 900 Ah
2 x Engine alternators 24V recharging the set of batteries for the energy supply onboard

Distribution 24V:

Multiplexed distribution of 24V functions
Function control panel at the chart table: 7” tactile colour screen 2nd control panel for main functions
Monitoring for tanks, batteries, alarms
Free sockets for other equipment

SALOON (GALLEY UP OPTION)

General:
Saloon access through one sliding door
Front door for access to forward cockpit
Panoramic view through picture windows and aft facing portholes

Galley Area:
Galley with large working top
Double stainless-steel sink
1 x Bin
Hot and cold pressurized water
1 x Hob gas 5 burners
1 x Gaz stainless-steel oven
Fridge 130 l
Freezer 90 l
In port companionway fridge 210 l + freezer 95 l
Storage cupboards
Space allowed for a large dishwasher (12 place settings)
Space allowed for microwave oven
Lighting by embedded LED spotlights

Saloon Area:

1 x Coffee table
1 x Sofa
Storage volume
Furniture for TV
Lighting by embedded LED spotlights

Chart Table Area and Sofa:

Wooden chart table
Console for electrical panel and navigational instruments Navigation seat
Lighting by reading light
Cupboards
Large sofa

PORT HULL (GALLEY UP OPTION)

Access to port hull by 1 companionway in the saloon and 1 companionway in the aft deck
Aft Cabin:

Cabin with double bed (1.60/2.00m approx.) Bedside cabinet
Cupboards and wardrobe
Large picture-window on hull side with blind Ventilation via a deck hatch + 1 porthole Blind and flyscreen on the deck hatch
Main lighting by embedded LED spotlights and 2 bedside reading lights
Lining covered ceilings Aft Bathroom:
Private access from the cabin
Countertop with washbasin

Mirror
Shower cabin with automatic drainage of the grey water Marine toilet

Bathroom accessories
Ventilation via 1 deck hatch Lighting - waterproof LED spotlights Cupboard under washbasin

Middle Cabin:
Double bed (1.60/2.00m approx.) Bedside cabinet
Drawer under the bed Cupboards and wardrobe

Large picture-window on hull side with blind
Ventilation via a deck hatch + 1 porthole
Blind and flyscreen on the deck hatch
Main lighting by embedded LED spotlights and 2 bedside reading lights Lining covered ceilings

Middle Bathroom:
Private access from the cabin
Countertop with washbasin
Mirror
Shower cabin with automatic drainage of the grey water Marine toilet
Bathroom accessories
Ventilation via 1 deck hatch
Lighting - waterproof LED spotlights
Cupboard under washbasin

Companionway: Cupboards

Wooden staircase
Lighting by embedded LED spotlights

Forward Cabin:
Access via a wooden door from the companionway Double bed (1.60/2.00m approx.)
Bedside cabinet
Drawer under the bed
Cupboards and wardrobe
Large picture-window on hull side with blind
Ventilation via a deck hatch + 1 porthole
Blind and flyscreen on the deck hatch
Main lighting by embedded LED spotlights and 2 bedside reading lights Lining covered ceilings

Forward Bathroom:
Private access from the forward cabin
Countertop with washbasin
Mirror
Shower cabin with automatic drainage of the grey water Marine toilet
Bathroom accessories
Ventilation via 1 deck hatch
Lighting - waterproof LED spotlights
Cupboard under washbasin

Fore Peak:
Access through large deck hatch

STARBOARD HULL

Access to starboard hull by 1 companionway in the saloon and 1 companionway in the cockpit
Aft Cabin:

Access via a wooden door from the aft companionway Double bed (1.60/2.00m approx.)
Bedside cabinet
Drawer under the bed
Cupboards and wardrobe
Large picture-window on hull side with blind
Ventilation via a deck hatch + 1 porthole
Blind and flyscreen on the deck hatch
Main lighting by embedded LED spotlights and 2 bedside reading lights Lining covered ceilings

Aft Bathroom:
Private access from the cabin
Countertop with washbasin
Mirror
Shower cabin with automatic drainage of the grey water Marine toilet
Bathroom accessories
Ventilation via 1 deck hatch
Lighting - waterproof LED spotlights
Cupboard under washbasin

Owner's Suite:
Access to Owner's suite from the saloon and from the front cockpit companionway King-size island bed (1.80 x 2.00 m approx.)
Drawer below the bed with frontal access
Bedside shelves
Cupboards and wardrobe
Large picture-window on hull side with blind
Ventilation via a deck hatch + 1 porthole
Blind and flyscreen on the deck hatch
Lining covered ceilings
Main lighting via LED spotlights & 2 berth lights
Clothes hooks

Office Area:
Desk with cabinet for storage + space for optional TV lift 1 x Seat
Cabinet for TV
Main lighting via LED spotlights & 1 berth light
Lining covered ceilings
Lounging Area: Sofa Bookshelves
Main lighting via LED spotlights Lining covered ceilings
Owner's Bathroom: Large wardrobe

2 x Washbasins with worktop
Mirror with shelf
Ventilation via 1 deck hatch
Separate toilet accessed through wooden door Hot and cold freshwater system from mixer faucet
Shower separated via a Plexiglas panel

Electric drainage pump for greywater
Mixing valve tap for shower
Large marine toilet
Storage closet with shelves under the worktop Clothes hooks
Ventilation thanks to 1 deck hatch
Lighting via LED spotlights

Fore Peak:
Access through large deck hatch

FLYING BRIDGE

Surface: 32 m2
Access through teak and stainless-steel staircase
PMMA hatch
Starboard Side: Helm station with 2 places seat, steering and instruments console, engine throttles and control panels, 360 ° view

Port Side: Helm station with 2 places seat, steering. console for instruments, 360 ° view
Manoeuvring station with 4 winches for mainsail, genoa sheet, reefing lines etc...) Saloon area (8 places) with table Sofa
Area for Galley furniture
2 x Large sun beds with central access

Central aft deck

Large aft deck: Circulation without threshold towards the saloon
Access via the transom platforms
GRP Bimini protecting all the cockpit
Aft, 4 seats transom sofa with 1 large storage locker
Starboard side, large sofa with 1 storage locker
Port side, large 'L' sofa with 1 storage locker
1 x Teak aft deck table with a capacity of 12 places
Starboard side space available for 65 l cockpit fridge, Option and for plancha 1 x Gas chest
1 x Locker under cockpit floor
2 x Side windscreens
Lighting via spotlights

Bow deck

2 x Large lockers with hatch
1 x Large mooring locker
2 x Areas for sunbeds (or optional Jacuzzi)

TECHNICAL HOLDS AFT

Accessed through polyester locker cover on jack in the cockpit 1 x Socket
Light bar lighting
Access to the main engines
Engine compartments with sound insulation

DECK EQUIPMENT

Mainsail and genoa jib
Deck gear centralized at the helm station
1 x Self-tailing winch for mainsheet
Line driver for mainsheet traveller
1 x Self-tailing winch for mainsail halyard and genoa roller furler 2 x Self-tailing winches for genoa sheets
1 x Mainsheet tackle
1 x Jammer for mainsheet
1 x Mainsail ball-bearing sheet traveller
2 x Traveller trimming tackle on jammers
Genoa track traveller with lead block

OTHER EQUIPMENT

Hydraulic helming system with leather covered steering wheel helm, hand pump, 2 jacks
Emergency steering gear
1 x Steering compass
3 x Winch handles + 3 pockets
1 x 2000W / 24V electric windlass
Pushpits and pulpits, stanchions with upper and lower guardrails 2 x Pulpits with Swedish seatings
2 Teak battened aft transom lower platform
1 x Swim ladder + 1 hot / cold water shower in the starboard transom 8 x Mooring cleats (2 foredeck + 2 middle + 2 aft + 2 astern)

OPTIONS INCLUDED

Galley up and double port mid cabin Double port aft cabin
Comfort Version Including:
Curtains in cabins
Mooring kit + 6 fenders
Genoa electrical furler
CST mainsail full batten
Lazy jack
Electrical windlass 2000 Watts
1 x Electrical winch for main halyard Two pulpit seats
Hot/cold water on 1 deck shower
Dralon protective cover for wheel Multipexage monitor 7"
VHF mast head antenna prewired

Lazy bag
Outdoor cushions
Interior courtesy lighting
Exterior courtesy lighting
2 x Genoa electric winches
1 x Main sheet electric winch Pressurized seawater system (2 outlets) Main grid 220V 50Hz or 220V 60Hz Charger/inverter 5000W/120A 50/60Hz Additional electric freshwater pump Audio & Video pack saloon
Flying bridge Hi-Fi + 4 speakers
Solar panels 3 x 170 W
Galley furniture on flying bridge

Propulsion:

YANMAR engine throttle –
aft deck porside 1 x Bow thruster in starboard hull
24V Diesel transfer pump

Interior Equipment:

Chef tap in the galley

Combination locking safe (x 5 in each cabin)
Port fore peak crew cabins not fitted (recommended bed + head + air conditioning)
Saloon curtains pleated blinds - Colour: White
Electrical saloon coffee table convertible into a dinner table
Additional electric freshwater pump

Exterior Equipment:

Flanelle outdoor canvas
Colour: Sunt flanelle Cockpit sun awning
Fixed flydeck bimini
Cockpit tent
Sun awning on the foredeck saloon
Aft deck table (not foldable)
Galley furniture on flybridge
Synthetic teak aft deck floor
Synthetic teak bow deck -
Sail
Synthetic teak on side decks
Synthetic teak on flydeck
Side gates on port and starboard 2 x aft deck fridges 65 l
Icemaker (aft deck)
Fridge 65 l on the flying bridge
Gas plancha
Bow deck Jacuzzi for two with heater

Electronics & Entertainment Equipment:

Pack GARMIN 3 SAIL: 3 screens 17" -Port and starboard helm stations + chart table
2 x Aft cameras (Req. Pack Garmin 3)
Forward scan GARMIN PS 51-TH (Req. Pack Garmin 3)
Radar
Audio & Video pack saloon galley up (TV 50") (TV system PAL & SECAM)
Hi-Fi video pack for Owner's cabin (TV 40") (TV PAL & SECAM)

Household Equipement

Additional 220V 130 l fridge for galley up
Sink grinder
Washing machine 7 kg 220V - 50 Hz only in engine room Dryer 8 kg 220V - 50Hz in engine room
Wine cellar for 23 bottles
5 x Fresh water electric heads in all guest cabins Mechanical ventilation for all cabins
Grey water tank
Full air conditioning

Electricity & Lighting:

Underwater lighting 2 x 80 W
Solar panels 3 x 170 W
Additional shore plug 220V-60Hz
Additional AGM battery 24VA
150Ah Generator 17 kW 220V 50Hz
Pre-installation of watermaker

Deck Equipment:

Gennaker - colour grey
Staysail on electric furler
Canoë boom with lazy bag
Gennaker furler and gear
2 x Rope cutters for 40mm shaft
Windlass control on helm station
Enlarged version Tenderlift hydraulic platform (450 kg max) with dinghy removable brackets
Antifouling, primary epoxy
2 x Aft capstans
2 x Bow capstans
Fog horn - 2 control stations

Delivery Services:

Boat preparation and coaching Exportation

With a fast order, some options and Owner preferences (décor, layout, upgrades), can still be modified. Proposed Upgrades are (in addition):*

Port fore peak fitting out (bed + head) + air conditioning for + € 22,412 Starboard fore peak fitting out (bed + head) + air conditioning for + € 22,412 45 l Combination microwave oven (50/60Hz) for + € 1,866
Dishwasher 12 place settings for + € 2,489
Safety equipment without liferaft + 2 x MP8 container liferafts for + € 10,444

**These additional options can be ordered from factory 12 weeks before delivery or retrofitted after delivery at a discounted price.*

Warranty:** **5 Years on the Hull, 2 years on the rest of the ship's systems.

Berth place management possible on French or Italian Riviera as well as Spain (Mainland and Balearic Islands), As well Adriatic sea Croatia and Italian, Greece and Turkey. Azores islands Madeira (Free zone) Funchal Portugal.







yacht@abyacht.com
Whats App + 33 611 354 611 + 44 1414 160 507
Brokerage, New construction, Conversion, Refitting, management, Flag, Charter. Refit, Surveyor, Commercial vessel, Xbow commercial vessel.

Management and companies

Euro Flag Management, crew : Madeira Free zone Portugal, Malta, France, UK, Luxembourg, Italy.

Jorge Rodrigues : Madeira Portugal
+351 916 415 214 WhatsApp Email :
jorgerodrigues-316m@adv.oa.pt






67


67


67

























































abyacht.com Boats for sale